

The background of the image is a modern kitchen with dark grey cabinetry, a white farmhouse sink, and a light-colored wood-grain vinyl floor. A central dark blue rectangle contains the ClickLux logo and tagline. In the bottom left, a dark blue circle contains the text 'NEW RANGE' and the ClickLux Premium logo.

 **ClickLux**[®]
Durable, Rigid, Click-Fit Luxury Vinyl | By Verona

NEW
RANGE
 **ClickLux**
PREMIUM



ClickLux
PREMIUM

ClickLux® Premium Limed Beech

Also featuring Maya Linear Pearl 350x350mm mosaic wall tiles.

See page 38 for suggested scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)



ClickLux® combines next generation technology with the latest design trends to offer a stylish and versatile collection of rigid SPC flooring that's suitable for a wide range of projects.

You will find everything you need to know about ClickLux® on the following pages, from design inspiration to technical specifications and installation advice.



Cover image - ClickLux® Premium Natural Oak



06
Silver Birch



16
Wyre Silver Oak



22
Axia Concrete Anthracite

Contents

- 4. What is ClickLux®?
- 6. Wood Effect Planks
- 16. Wood Effect Herringbone
- 22. Stone Effect Tiles
- 30. What is ClickLux® Premium?
- 32. Premium Wood Effect Planks
- 38. Accessories
- 40. Installation Advice & Aftercare
- 42. Index



30
ClickLux® Premium Ash Grey



Waterproof



Easy to Install



Dust Free



Warm Underfoot



Anti-Bacterial



Sound Insulation



Low Maintenance



Eco-Friendly



PHTHALATE Free



Integrated Underlay

What is ClickLux®?

ClickLux® is a collection of premium SPC planks, herringbone & tiles reminiscent of natural wood and stone but with several added benefits.

The wood effects come in an elongated 177.8 x 1219.2mm traditional plank size & smaller 126 x 630mm format to create herringbone patterned floors, whilst the stone effect designs come in a classic 305 x 610mm size.

Manufactured using state of the art technology, SPC (Stone Polymer Composite) is the next generation of Luxury Vinyl Tiles, combining limestone and stabilisers to create a very durable core. SPC is hardwearing, waterproof and more rigid than traditional LVT, making it suitable for domestic and commercial projects.

ClickLux® features an easy to install locking system without the need for messy adhesives and you don't even have to worry about purchasing separate underlay as there's a foam underlay already built in to each plank, making any room instantly warm and cosy and speeding up the installation process. For added warmth the Clicklux® Collection can be used with in-floor radiant underfloor heating systems*.

ClickLux® comes with up to 20 years domestic warranty and up to 5 years commercial warranty, so you can be confident your new flooring will look good for years to come.

*See installation advice on pages 40-41 for further information and technical specification



Bowfell Stone Grey



Rustic Willow

Next Generation SPC Layers

PROTECTIVE WEAR LAYERS

These layers protect against sun damage, spills and scratches as well as giving the plank or tile a realistic texture. These can differ slightly depending on the product design.

COLOUR FILMS

Printed in high definition to give a realistic and authentic look

SPC CORE

The Stone Polymer Composite core is durable, waterproof and rigid and has click-fit edging for easy installation

UNDERLAY

Integrated 1mm IXPE foam provides heat and sound insulation

Silver Birch

The soft grey shade and simple design of Silver Birch will complement a wide range of rooms, whilst the click-fit system and integrated underlay makes installation child's play.

Code L10007

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)



See page 38 for suggested scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)

Black Elm

This striking dark wood grain finish will create a sophisticated feel in any room, whilst also being waterproof and durable.

Code L10002

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)



See page 38 for suggested scotias (L10089), thresholds (A14266) & radiator pipe collars (A14276)

Weathered Ash

Bridging the gap between cool grey and warmer natural wood shades, Weathered Ash will complement a variety of interior colour schemes.

Code L10003

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)



Limed Oak

The palest of all the ClickLux® designs, Limed Oak has a soft neutral feel that will bring a sense of light and calm to any room.

Code L10010

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)

Light Oak

This classic Light Oak shade is contemporary yet timeless. Use throughout the home as a durable alternative to natural wood flooring that's warm underfoot.

Code L10005

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)



See page 38 for suggested scotias (L10090), thresholds (A14267) & radiator pipe collars (A14277)



See page 38 for suggested scotias (L10090), thresholds (A14267) & radiator pipe collars (A14277)

Warm Maple

Featuring very subtle cross-cut saw marks, Warm Maple gives the look and feel of real wood but in a waterproof finish that's ideal for bathrooms.

Code L10008

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)

Antique Cedar

This traditional timber effect design features subtle knot and wood grain details. It's ideal for creating seamless flooring from one room to the next throughout the home.

Code L10009

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm
underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light
Commercial (Class 23/31)



Rustic Willow

Perfect for period properties, this is the most rustic of the ClickLux® designs. It offers realistic shading variations, wood grain details and a lightly distressed appearance, but unlike real wood it's completely waterproof.

Code L10006

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm
underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light
Commercial (Class 23/31)



Golden Beech

Featuring a Golden Beech colour with subtle shade variations and wood grain detailing, this design will give any room a warm and cosy feel.

Code L10001

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)

Give dining areas a spill-proof finish that's easy to clean

See page 38 for suggested scotias (L10085), thresholds (A14262) & radiator pipe collars (A14272)

Rich Walnut

Deep and sophisticated, Rich Walnut is a timeless classic. Its low maintenance and sound insulating properties make it the perfect choice for busy areas such as hallways.

Code L10004

Type Waterproof SPC

Installation I4F

Plank size 177.8 x 1219.2mm

Thickness 4mm + 1mm underlay

Pack size 2.167m²

Pieces per pack 10

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)

See page 38 for suggested scotias (L10086), thresholds (A14263) & radiator pipe collars (A14273)

Wyre Silver Oak Herringbone

In a classic silver grey shade, Wyre is a sophisticated yet versatile option that works well with both cooler and warm toned colour schemes.

Code L10054

Type Waterproof SPC

Installation 5Gi

Plank size 126 x 630mm

Thickness 4.2mm + 1mm underlay

Pack size 2.22m²

Pieces per pack 28

Suitability 0.3mm wear layer
Heavy Domestic / Light
Commercial (Class 23/31)



See page 38 for suggested scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)

Haldon Antique Oak Herringbone

A mix of medium brown tones with a hint of grey, Haldon features a striking realistic wood effect design that's perfect for bringing harmony to your room decor.

Code L10055

Type Waterproof SPC

Installation 5Gi

Plank size 126 x 630mm

Thickness 4.2mm + 1mm underlay

Pack size 2.22m²

Pieces per pack 28

Suitability 0.3mm wear layer
Heavy Domestic / Light
Commercial (Class 23/31)



Also featuring Hex Marble 175x202mm wall tiles.

See page 38 for suggested scotias (L10087), thresholds (A14264) & radiator pipe collars (A14274)

Burnham Golden Oak Herringbone

The warm brown tones of Burnham exude luxury. It works well with neutral schemes and cottage style muted tones for a natural rustic look.

Code L10050

Type Waterproof SPC

Installation 5Gi

Plank size 126 x 630mm

Thickness 4.2mm + 1mm underlay

Pack size 2.22m²

Pieces per pack 28

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)



See page 38 for suggested scotias (L10092), thresholds (A14269) & radiator pipe collars (A14279)

Rydal Natural Oak Herringbone

Featuring a stripped back, classic natural oak shade, Rydal is the perfect floor for adding interest in minimalist and modern style interiors.

Code L10051

Type Waterproof SPC

Installation 5Gi

Plank size 126 x 630mm

Thickness 4.2mm + 1mm underlay

Pack size 2.22m²

Pieces per pack 28

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)



See page 38 for suggested scotias (L10092), thresholds (A14269) & radiator pipe collars (A14279)

Selwood Light Oak Herringbone

Effortlessly create Scandi-chic decor with Selwood, a light toned wood effect tile that works well with a pared back scheme full of warm whites, natural materials and black accents.

Code L10052

Type Waterproof SPC

Installation 5Gi

Plank size 126 x 630mm

Thickness 4.2mm + 1mm underlay

Pack size 2.22m²

Pieces per pack 28

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)



See page 38 for suggested scotias (L10091), thresholds (A14268) & radiator pipe collars (A14278)

Ashdown Limed Oak Herringbone

With a shade that sits perfectly between cool light grey and warm washed oak, Ashdown provides the perfect neutral back drop for all interior decor, but in a premium herringbone pattern.

Code L10053

Type Waterproof SPC

Installation 5Gi

Plank size 126 x 630mm

Thickness 4.2mm + 1mm underlay

Pack size 2.22m²

Pieces per pack 28

Suitability 0.3mm wear layer
Heavy Domestic / Light Commercial (Class 23/31)



See page 38 for suggested scotias (L10088), thresholds (A14265) & radiator pipe collars (A14275)

Axia Concrete Anthracite

Perfect for modern interiors, Axia features subtle flecks of terrazzo stone-like pieces that give a nod to the industrial trend in a tonal Anthracite shade.

- Code L10017
- Type Waterproof SPC
- Installation Uniclic
- Plank size 305 x 610mm
- Thickness 5mm + 1mm underlay
- Pack size 1.86m²
- Pieces per pack 10
- Suitability 0.55mm wear layer General Commercial (Class 23/31)



Also featuring Central White 100x200mm wall tiles.
See page 38 for suggested scotias (L10089), thresholds (A14266) & radiator pipe collars (A14276)



The easy to clean surface is great for a busy family hallway

Axia Concrete Grey

Create a lived in feel with the weathered concrete effect of Axia Concrete Grey in a durable and hard wearing finish that's perfect for entrances and hallways.

- Code L10016
- Type Waterproof SPC
- Installation Uniclic
- Plank size 305 x 610mm
- Thickness 5mm + 1mm underlay
- Pack size 1.86m²
- Pieces per pack 10
- Suitability 0.55mm wear layer General Commercial (Class 23/31)

See page 38 for suggested scotias (L10093), thresholds (A14270) & radiator pipe collars (A14280)

Chamonix Marble Beige

Create a cosy ambience in any room with the warming shade of Chamonix Marble Beige. Coordinate with natural textures for a rustic feel that's easy to maintain.

- Code** L10018
- Type** Waterproof SPC
- Installation** Uniclic
- Plank size** 305 x 610mm
- Thickness** 5mm + 1mm underlay
- Pack size** 1.86m²
- Pieces per pack** 10
- Suitability** 0.55mm wear layer
General Commercial
(Class 23/31)



Also featuring Coffee Stone Hexagon Mosaic 300x300mm wall tiles.
See page 38 for suggested scotias (L10093), thresholds (A14270) & radiator pipe collars (A14280)



Stylish
and versatile,
easily give your
floors an
on-trend look

Castello Marble White

Perfect for modern spaces, Castello Marble White offers a sleek and contemporary look with realistic veining detail. Unlike real marble, it doesn't require sealing and will look immaculate for years to come.

- Code** L10013
- Type** Waterproof SPC
- Installation** Uniclic
- Plank size** 305 x 610mm
- Thickness** 5mm + 1mm underlay
- Pack size** 1.86m²
- Pieces per pack** 10
- Suitability** 0.55mm wear layer
General Commercial
(Class 23/31)

Also featuring Handmade White 75x150mm wall tiles.
See page 38 for suggested scotias (L10094), thresholds (A14271) & radiator pipe collars (A14281)

Bowfell Stone Grey

Contemporary and sophisticated, Bowfell Stone Grey is a timeless classic. Extend the design seamlessly throughout the home for a flawless look that's also warm underfoot.

- Code** L10021
- Type** Waterproof SPC
- Installation** Uniclic
- Plank size** 305 x 610mm
- Thickness** 5mm + 1mm underlay
- Pack size** 1.86m²
- Pieces per pack** 10
- Suitability** 0.55mm wear layer
General Commercial
(Class 23/31)



See page 38 for suggested scotias (L10093), thresholds (A14270) & radiator pipe collars (A14280)

Rodellar Stone Silver

The warm silver shade and natural stone design of Rodellar will complement a variety of rooms throughout the home, whilst the click-fit system makes installation a breeze.

- Code** L10024
- Type** Waterproof SPC
- Installation** Uniclic
- Plank size** 305 x 610mm
- Thickness** 5mm + 1mm underlay
- Pack size** 1.86m²
- Pieces per pack** 10
- Suitability** 0.55mm wear layer
General Commercial
(Class 23/31)



Also featuring Pueblo Silver 300x900mm wall tiles.
See page 38 for suggested scotias (L10093), thresholds (A14270) & radiator pipe collars (A14280)

Pinnacle Concrete Anthracite

The striking deep Anthracite shade and weathered concrete effect finish will create a modern feel in any room, whilst also being splash-proof and practical.

- Code L10015
- Type Waterproof SPC
- Installation Uniclic
- Plank size 305 x 610mm
- Thickness 5mm + 1mm underlay
- Pack size 1.86m²
- Pieces per pack 10
- Suitability 0.55mm wear layer
General Commercial
(Class 23/31)



Pinnacle Concrete Grey

Featuring a distressed textured pattern with subtle tonal shading, Pinnacle Concrete Grey gives the look of a raw natural material but in a waterproof finish that's perfect for bathrooms.

- Code L10014
- Type Waterproof SPC
- Installation Uniclic
- Plank size 305 x 610mm
- Thickness 5mm + 1mm underlay
- Pack size 1.86m²
- Pieces per pack 10
- Suitability 0.55mm wear layer
General Commercial
(Class 23/31)





Waterproof



Easy to install



Eco-friendly



Low maintenance



PHTHALATE free



6mm + 1.5mm underlay



Embossed in register



0.55mm wear layer



Warm underfoot



Dust free



Sound insulation



Antibacterial

What is ClickLux® Premium?

ClickLux® Premium is a collection of larger format, premium, realistic planks reminiscent of natural wood, with several added benefits.

ClickLux® Premium planks are Embossed in Register (EIR), meaning the texture of the planks follows the patterns of the printed design, creating a very realistic look and feel of natural wood. ClickLux® Premium Planks come in a 228.6 x 1219.2mm size, they are 6mm thick plus they have a 1.5mm built-in underlay.

*See installation advice on pages 40-41 for further information and technical specification



ClickLux® Premium Light Birch



ClickLux® Premium Warm Chestnut



WIDER PLANKS
for a superior look

PROTECTIVE WEAR LAYERS
protect against sun damage, spills and scratches

EMBOSSSED IN REGISTER
for a more realistic look and feel

THICKER SPC PLUS THICKER UNDERLAY
premium quality and warmer underfoot

ClickLux® Premium Light Oak

Ash Grey

Sleek and contemporary, Ash Grey blends the organic appeal of wood with an on-trend warm grey palette. The shading variation and wood grain texture offers a realistic look with a modern, minimalist feel. Perfect for bathrooms and open-plan living spaces seeking a refined, neutral base.

Code L10096

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm
underlay

Pack size 1.115m²

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)



Light Birch

Brighten any space with the fresh, clean aesthetic of Light Birch. This Scandinavian-inspired plank features a light warm hue with woodgrain detailing, bringing an airy, natural warmth that complements both modern and traditional interior styles alike.

Code L10097

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm
underlay

Pack size 1.115m²

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)

Light Oak

Bring a touch of natural warmth to your space with Light Oak. Featuring soft golden tones and delicate woodgrain detailing, it offers a clean, timeless look that complements a wide range of interior styles. Its light, airy finish enhances brightness and makes any room feel more open and inviting.

Code L10098

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm
underlay

Pack size 1.115m²

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)



Limed Beech

Subtle sophistication meets soft coastal charm with Limed Beech. This elegant flooring choice features a whitewashed finish that enhances its fine, linear grain. A versatile option that pairs beautifully with light interiors and relaxed, beach-inspired designs.

Code L10095

Type Waterproof SPC

Installation I4F

Plank size
228.6 x 1219.2mm

Thickness 6mm + 1.5mm
underlay

Pack size 1.115m²

Pieces per pack 4

Suitability
0.55mm wear layer
Heavy Domestic
Commercial (Class 23/34)



Natural Oak

Classic and full of character, Natural Oak showcases the authentic look of real wood with rich honey tones and beautifully defined grain patterns. Its timeless appeal makes it a perfect foundation for both traditional and modern interiors, adding depth, texture, and natural charm to any room.

Code L10099

Type Waterproof SPC

Installation I4F

Plank size

228.6 x 1219.2mm

Thickness 6mm + 1.5mm
underlay

Pack size 1.115m²

Pieces per pack 4

Suitability

0.55mm wear layer

Heavy Domestic

Commercial (Class 23/34)



Also featuring Maya Linear Turquoise 350x350mm mosaic wall tiles.
See page 38 for suggested scotias (L10090), thresholds (A14267) & radiator pipe collars (A14277)

Warm Chestnut

Rich and inviting, Warm Chestnut brings depth and elegance to any room. With deep amber hues and bold woodgrain texture, this flooring is designed to create a cozy, luxurious ambience, ideal for hallways, dining areas, or heritage-inspired décor.

Code L10100

Type Waterproof SPC

Installation I4F

Plank size

228.6 x 1219.2mm

Thickness 6mm + 1.5mm
underlay

Pack size 1.115m²

Pieces per pack 4

Suitability

0.55mm wear layer

Heavy Domestic

Commercial (Class 23/34)



Also featuring Clay Ocean 65x130mm wall tiles.
See page 38 for suggested scotias (L10085), thresholds (A14262) & radiator pipe collars (A14272)

Accessories

16mm SPC Scotia




CODE	DESCRIPTION
L10085	Golden Beech
L10086	Walnut
L10087	Antique
L10088	Silver
L10089	Black
L10090	Warm Oak
L10091	Light Oak
L10092	Natural Oak
L10093	Plain Grey
L10094	Plain White

SPC Threshold



CODE	DESCRIPTION
A14262	Golden Beech
A14263	Walnut
A14264	Antique
A14265	Silver
A14266	Black
A14267	Warm Oak
A14268	Light Oak
A14269	Natural Oak
A14270	Plain Grey
A14271	Plain White

SPC Radiator Pipe Collar



CODE	DESCRIPTION
A14272	Golden Beech
A14273	Walnut
A14274	Antique
A14275	Silver
A14276	Black
A14277	Warm Oak
A14278	Light Oak
A14279	Natural Oak
A14280	Plain Grey
A14281	Plain White



ClickLux® Premium Limed Beech
Also featuring 16mm Warm Oak SPC Scotia & Maya Linear Pearl 350x350mm mosaic wall tiles.

You will need:



Tape Measure



Utility Knife



T-Square



Spacer Wedges*



Rubber Mallet



Tapping Block



Pencil



Pull Bar

You may also need:



Hole Saw



Vinyl Seam Sealer



100% Silicone



Skirting Boards



Scotia Trim Moulding

How much ClickLux® do I need?

Follow these simple steps to calculate how many packs of ClickLux® you will need for your project.

1. Measure the length and width of the room in metres and multiply the two values together. This will give you the square metre coverage. For irregular shaped rooms, try breaking the area into smaller rectangles. Calculate the area of each rectangle then add the values together.
2. We recommend adding an additional 10% to the total area to allow for cuts and wastage during the installation process. To calculate this, simply multiply the total square metre coverage by 1.1.
3. Check the product pages in this brochure to find out how many square metres each pack of your chosen ClickLux® covers. Divide your total from step 2 by the pack coverage to calculate how many boxes of ClickLux® you will need. Always round this number up.

Important information

Before installing ClickLux®, view the full installation guides to ensure you follow the correct acclimatisation process for the type of ClickLux® flooring you are installing.

Products must be stored horizontally in a dry area and not in uncontrolled environment conditions i.e. Garages, exterior patios etc. Do not place the boxes directly onto concrete flooring. If you have a concrete floor you must raise the boxes up slightly away from this. Always lay boxes flat to avoid damage to the locking profiles. ClickLux® should be installed in accordance with British Standard BS 8203:2017.

Before you begin, ensure that the sub-floor is dry, clean, smooth, level and free from dust and debris.

Sweep and/or vacuum the area and remove all obstructions such as furniture, doorplates and skirting boards where possible.

If you are installing ClickLux® in a kitchen or bathroom, ensure any fixed cabinets have already been installed as ClickLux® cannot be installed underneath these.

To ensure your ClickLux® floor looks its best, select boxes with the same batch and production date and mix pieces from multiple packages to achieve a natural shading blend. Be sure to inspect each piece for colour, shade, surface texture and possible damages prior to fixing.

DO NOT install pieces with damages or defects.

Aftercare

ClickLux® SPC flooring is easy to maintain. Simply remove dust and loose debris by sweeping with a soft brush or vacuuming using a nozzle suitable for vinyl floors.

Although the product is Waterproof, we recommend that you mop up any spills straight away. Any stains can be removed using a well wrung out mop or damp cloth with warm water and

a suitable vinyl floor cleaner, making sure to rinse and dry the floor. Never use abrasive scourers or incorrect acidic or alkaline cleaners that are not suitable for vinyl floors.

Protect your floors by installing doormats at the entrances to your home. Metal abrasion can scratch or discolour your flooring. Chairs and furniture should be fitted with protective furniture pads. Protect your finished floor from direct sunlight.

Installation guides

Scan the QR code below with your smartphone camera to instantly view and download our full installation guides, or visit www.clicklux.co.uk





Antique Cedar
Planks [Page 12](#)



Black Elm
Planks [Page 7](#)



Golden Beech
Planks [Page 14](#)



Light Oak
Planks [Page 10](#)



Limed Oak
Planks [Page 9](#)



Rich Walnut
Planks [Page 15](#)



Bowfell Stone Grey
Tiles [Page 26](#)



Castello Marble White
Tiles [Page 25](#)



Chamonix Marble Beige
Tiles [Page 24](#)



Pinnacle Concrete Anthracite
Tiles [Page 28](#)



Pinnacle Concrete Grey
Tiles [Page 29](#)



Rodellar Stone Silver
Tiles [Page 27](#)



Rustic Willow
Planks [Page 13](#)



Silver Birch
Planks [Page 6](#)



Warm Maple
Planks [Page 11](#)



Weathered Ash
Planks [Page 8](#)



Ashdown Limed Oak
Herringbone [Page 21](#)



Burnham Golden Oak
Herringbone [Page 18](#)



Ash Grey
Premium Plank [Page 32](#)




Light Birch
Premium Plank [Page 33](#)



Light Oak
Premium Plank [Page 34](#)



Limed Beech
Premium Plank [Page 35](#)



Natural Oak
Premium Plank [Page 36](#)



Warm Chestnut
Premium Plank [Page 37](#)



Haldon Antique Oak
Herringbone [Page 17](#)



Rydal Natural Oak
Herringbone [Page 19](#)



Selwood Light Oak
Herringbone [Page 20](#)



Wyre Silver Oak
Herringbone [Page 16](#)



Axia Concrete Anthracite
Tiles [Page 22](#)



Axia Concrete Grey
Tiles [Page 23](#)



Please note that product images are shown for indicative purposes only and colour reproduction throughout this catalogue is as accurate as printing techniques allow. We recommend you visit your local retailer to view a sample of the product before purchasing. Please contact us to find your nearest retailer. Although we endeavour to communicate any changes as soon as possible, we reserve the right to amend or withdraw products contained within this catalogue at any time without prior notice. As variations in colour, shading and texture may occur between different batches of SPC, we recommend you purchase sufficient packs in one go to complete a project. Please ensure a satisfactory blend of shades can be achieved BEFORE fixing as claims relating to variations that were apparent before fixing will not be accepted once the product has been installed.

Please refer to our Terms & Conditions of Sale for further details.

www.clicklux.co.uk

Lumina, Park Approach, Thorpe Park, Leeds, LS15 8GB | 0113 244 4984 | www.veronagroup.co.uk | sales@veronagroup.co.uk

June 2025